

**Amendments to the Claims:**

This listing will replace all prior versions and listings of claims in the application.

**Listing of Claims:**

1. (Withdrawn) A method for the preparation of a Complex comprised of a PDGF Nucleic Acid Ligand and a Non-Immunogenic, High Molecular Weight Compound or Lipophilic Compound, said method comprising:

a) identifying a PDGF Nucleic Acid Ligand from a Candidate Mixture of Nucleic Acids by the method comprising:

b) contacting the Candidate Mixture with PDGF, wherein Nucleic Acids having an increased affinity to PDGF relative to the Candidate Mixture may be partitioned from the remainder of the Candidate Mixture;

c) partitioning the increased affinity PDGF Nucleic Acids from the remainder of the Candidate Mixture;

e) amplifying the increased affinity PDGF Nucleic Acids to yield a ligand-enriched mixture of Nucleic Acids; and

f) associating said identified PDGF Nucleic Acid Ligand with a Non-Immunogenic, High Molecular Weight Compound or Lipophilic Compound.

2. (Withdrawn) The method of claim 1 wherein said Complex is further associated with a Lipid Construct.

3. (Withdrawn) The method of claim 2 wherein said Lipid Construct is a Liposome.

4. (Withdrawn) The method of claim 3 wherein said Complex is comprised of a PDGF Nucleic Acid Ligand and a Lipophilic Compound and wherein said Complex is passively associated with the bilayer of said Liposomes by the method comprising the steps of:

a) forming a liposome; and

b) mixing said Complex comprised of a Nucleic Acid Ligand and a Lipophilic Compound with the Liposomes of step a) whereby the Nucleic Acid Ligand Component of said Complex becomes associated with the bilayer of the Liposome and projects from the exterior of the Lipid bilayer.

5. (Withdrawn) The method of Claim 4 wherein said Complex further comprises a Linker between said Ligand and said Lipophilic Compound.

6. (Withdrawn) The method of claim 4 wherein said Ligand comprises a Linker.

7. (Canceled)

8. (Currently amended) A method for targeting a therapeutic or diagnostic agent to a specific biological target that is expressing PDGF in a patient comprising:  
covalently linking said therapeutic or diagnostic agent with a Complex comprised of a PDGF Nucleic Acid Ligand and a Non-Immunogenic, High Molecular Weight Compound or Lipophilic Compound, and administering said agent-linked Complex to a patient wherein the PDGF Nucleic Acid Ligand comprises the sequence:  
CAGGCUACG-N-CGTAGAGCAUCA-N-TGATCCUG[3'T] (SEQ ID NO:146)  
wherein

A,C,G,T=deoxy-A,C,G,T;

A,C,G,U=2'-OMe-A,C,G,T;

C,U=2'-fluoro-C,U;

N is from hexaethyleneglycol phosphoramidite; and

[3'T]=inverted (3'-3') T<sub>n</sub>

wherein the biological target comprises a proliferative disease that is not a tumor.

9. (Canceled)

10. (Previously presented) The method of claim 8 wherein said Non-Immunogenic, High Molecular Weight Compound comprises 5' 40K PEG.

11. (New) The method of claim 8 wherein said agent of the agent-linked Complex is a nucleic acid ligand.

12. (New) A method for targeting a therapeutic or diagnostic agent to a specific biological target that is expressing PDGF in a patient comprising:  
covalently linking said therapeutic or diagnostic agent with a Complex comprised of a PDGF Nucleic Acid Ligand and a Non-Immunogenic, High Molecular Weight Compound or Lipophilic Compound, and administering said agent-linked Complex to a patient wherein the PDGF Nucleic Acid Ligand comprises the sequence:  
**CAGGCUACG-N-CGTAGAGCAUCA-N-TGATCCUG** [3'T] (SEQ ID NO:146)  
wherein  
A,C,G,T=deoxy-A,C,G,T;  
A,C,G,U=2'-OMe-A,C,G,T;  
C,U=2'-fluoro-C,U;  
N is from hexaethyleneglycol phosphoramidite; and  
[3'T]=inverted (3'-3') T<sub>n</sub>  
wherein the agent is another nucleic acid ligand.

13. (New) The method of claim 12 wherein said agent-linked Complex comprises a High Molecular Weight, Non-Immunogenic Compound comprising a 5' 40K PEG.

14. (New) The method of claim 12 wherein said agent comprises a vascular endothelial growth factor (VEGF) nucleic acid ligand.

15. (New) The method of claim 12 wherein the biological target comprises a proliferative disease that is not a tumor.